```
ANSWER 1 MARPAT COPYRIGHT 2003 ACS
ΑN
     134:242656 MARPAT
TI
     Phospholipid prodrugs of anti-proliferative drugs
IN
     Kozak, Alexander; Shapiro, Israel; Vinnikova, Marina; Ershov, Leonid;
     Senderikhin, Alexander; Ayalon, Oran
PA
     D-Pharm Limited, Israel
SO
     PCT Int. Appl., 51 pp.
     CODEN: PIXXD2
DT
     Patent
     English
LA
IC
     ICM A61K
CC
     63-6 (Pharmaceuticals)
     Section cross-reference(s): 1
FAN.CNT 1
     PATENT NO.
                      KIND DATE
                                            APPLICATION NO.
     ------
                      ----
                            _____
_{\rm PI}
     WO 2001019320
                       A2
                            20010322
                                            WO 2000-IL562
                                                             20000913
     WO 2001019320
                       A3
                            20010927
             AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
             HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,
             LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU,
             SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN,
             YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
             DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ,
             CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     AU 2000073093
                       Α5
                            20010417
                                           AU 2000-73093
                                                             20000913
     EP 1218013
                       A2
                            20020703
                                           EP 2000-960946
                                                             20000913
             AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL
     JP 2003514770
                       T2
                            20030422
                                            JP 2001-522958
                                                             20000913
PRAI IL 1999-131887
                      19990914
     WO 2000-IL562
                      20000913
AΒ
     The invention discloses prodrugs comprising anti-proliferative drugs
     covalently linked, via a bridging group, to a phospholipid moiety such
     that the active species is preferentially released, preferably by enzymic
     cleavage, at the required site of action. The invention further discloses
     pharmaceutical compns. comprising said prodrugs and the uses thereof for
     the treatment of diseases and disorders related to inflammatory, to
     degenerative or atrophic conditions, and to uncontrolled cell growth.
     methotrexate deriv. 1-stearoyl-2-[3-(.alpha.-dodecylate-.gamma.-
     methotrexate-amido) -propanoyl]-sn-glycero-3-phosphatidylcholine was
     prepd., and examd. for its inhibitory effect on human leukemia cell
     growth.
ST
     cell growth inhibitor phospholipid deriv prepn; methotrexate antitumor
     phospholipid deriv prodrug prepn
IT
     Antitumor agents
        (Burkitt's lymphoma; phospholipid prodrugs of anti-proliferative drugs)
IT
     Nervous system
        (Huntington's chorea, treatment of; phospholipid prodrugs of
        anti-proliferative drugs)
IT
     Mental disorder
        (Pick's disease, treatment of; phospholipid prodrugs of
        anti-proliferative drugs)
IT
     Drug delivery systems
        (aerosols; phospholipid prodrugs of anti-proliferative drugs)
IT
     Nervous system
        (amyotrophic lateral sclerosis, treatment of; phospholipid prodrugs of
        anti-proliferative drugs)
IT
    Antitumor agents
        (bladder; phospholipid prodrugs of anti-proliferative drugs)
IT
    Drug delivery systems
```

```
(capsules; phospholipid prodrugs of anti-proliferative drugs)
IT
     Brain, disease
        (cerebrovascular, treatment of; phospholipid prodrugs of
        anti-proliferative drugs)
IT
     Uterus, neoplasm
        (cervix, inhibitors; phospholipid prodrugs of anti-proliferative drugs)
IT
     Antitumor agents
        (cervix; phospholipid prodrugs of anti-proliferative drugs)
IT
     Chorion
        (choriocarcinoma, inhibitors; phospholipid prodrugs of
        anti-proliferative drugs)
IT
     Antitumor agents
        (choriocarcinoma; phospholipid prodrugs of anti-proliferative drugs)
ΙT
     Intestine, neoplasm
        (colon, inhibitors; phospholipid prodrugs of anti-proliferative drugs)
IT
     Antitumor agents
        (colon; phospholipid prodrugs of anti-proliferative drugs)
IT
     Nervous system
        (degeneration, treatment of; phospholipid prodrugs of
        anti-proliferative drugs)
IT
     Mental disorder
        (dementia, multi-infarct, treatment of; phospholipid prodrugs of
        anti-proliferative drugs)
IT
     Mental disorder
        (dementia, treatment of; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Mental disorder
        (dementia, vascular, treatment of; phospholipid prodrugs of
        anti-proliferative drugs)
IT
     Nerve, disease
        (diabetic neuropathy, treatment of; phospholipid prodrugs of
        anti-proliferative drugs)
IT
     Nervous system
        (disease, treatment of; phospholipid prodrugs of anti-proliferative
IT
     Mycosis
        (fungoides, inhibitors; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Drug delivery systems
        (gels; phospholipid prodrugs of anti-proliferative drugs)
IT
     Antitumor agents
        (head; phospholipid prodrugs of anti-proliferative drugs)
IT
     Liver, neoplasm
        (hepatoma, inhibitors; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Antitumor agents
        (hepatoma; phospholipid prodrugs of anti-proliferative drugs)
IT
     Neoplasm
        (hydatidiform mole, treatment of; phospholipid prodrugs of
        anti-proliferative drugs)
ΙT
     Intestine, disease
        (inflammatory bowel syndromes, treatment of; phospholipid prodrugs of
        anti-proliferative drugs)
TT
     Intestine, neoplasm
     Lung, neoplasm
     Ovary, neoplasm
     Pancreas, neoplasm
     Skin, neoplasm
        (inhibitors; phospholipid prodrugs of anti-proliferative drugs)
IT
     Drug delivery systems
        (injections, i.v.; phospholipid prodrugs of anti-proliferative drugs)
IT
     Antitumor agents
        (intestine; phospholipid prodrugs of anti-proliferative drugs)
IT
     Antitumor agents
```

```
(lung; phospholipid prodrugs of anti-proliferative drugs)
IT
     Antitumor agents
        (lymphocytic leukemia; phospholipid prodrugs of anti-proliferative
        drugs)
     Eye, disease
IT
        (macula, degeneration, age-related, treatment of; phospholipid prodrugs
        of anti-proliferative drugs)
IT
     Antitumor agents
        (mammary gland; phospholipid prodrugs of anti-proliferative drugs)
IT
     Headache
        (migraine, treatment of; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Skin, neoplasm
        (mycosis fungoides, inhibitors; phospholipid prodrugs of
        anti-proliferative drugs)
IT
     Antitumor agents
        (mycosis fungoides; phospholipid prodrugs of anti-proliferative drugs)
ΙT
     Antitumor agents
        (myelogenous leukemia; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Drug delivery systems
        (nasal; phospholipid prodrugs of anti-proliferative drugs)
IT
     Antitumor agents
        (neck; phospholipid prodrugs of anti-proliferative drugs)
IT
     Bladder
     Head
     Mammary gland
     Neck, anatomical
     Prostate gland
     Urinary tract
        (neoplasm, inhibitors; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Trophoblast
        (neoplasm, treatment of; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Antitumor agents
        (non-Hodgkin's lymphoma; phospholipid prodrugs of anti-proliferative
        drugs)
ΙT
     Drug delivery systems
        (ointments; phospholipid prodrugs of anti-proliferative drugs)
ΙT
     Drug delivery systems
        (ophthalmic; phospholipid prodrugs of anti-proliferative drugs)
IT
     Nerve
        (optic, treatment of; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Drug delivery systems
        (oral; phospholipid prodrugs of anti-proliferative drugs)
IT
     Pharynx
        (oropharynx carcinoma, inhibitors; phospholipid prodrugs of
        anti-proliferative drugs)
IT
     Antitumor agents
        (oropharynx carcinoma; phospholipid prodrugs of anti-proliferative
        drugs)
ΙT
     Bone, neoplasm
        (osteosarcoma, inhibitors; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Antitumor agents
        (osteosarcoma; phospholipid prodrugs of anti-proliferative drugs)
IT
     Antitumor agents
        (ovary; phospholipid prodrugs of anti-proliferative drugs)
IT
     Antitumor agents
        (pancreas; phospholipid prodrugs of anti-proliferative drugs)
ΙT
    Drug delivery systems
        (parenterals; phospholipid prodrugs of anti-proliferative drugs)
```

```
IT
     Anti-Alzheimer's agents
     Anti-inflammatory agents
     Antiarthritics
     Antiasthmatics
     Antiparkinsonian agents
     Antirheumatic agents
     Antitumor agents
        (phospholipid prodrugs of anti-proliferative drugs)
IT
     Lysophosphatidylcholines
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (prepn. of phospholipid prodrugs of anti-proliferative drugs)
IT
     Drug delivery systems
        (prodrugs; phospholipid prodrugs of anti-proliferative drugs)
IT
     Proliferation inhibition
        (proliferation inhibitors; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Antitumor agents
        (prostate gland; phospholipid prodrugs of anti-proliferative drugs)
IT
     Drug delivery systems
        (rectal; phospholipid prodrugs of anti-proliferative drugs)
IT
     Connective tissue
        (scleroderma, treatment of; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Antitumor agents
        (skin; phospholipid prodrugs of anti-proliferative drugs)
IT
     Drug delivery systems
        (solns.; phospholipid prodrugs of anti-proliferative drugs)
IT
     Brain, disease
        (stroke, treatment of; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Drug delivery systems
        (suppositories; phospholipid prodrugs of anti-proliferative drugs)
IT
     Drug delivery systems
        (suspensions; phospholipid prodrugs of anti-proliferative drugs)
IT
     Lupus ervthematosus
        (systemic, treatment of; phospholipid prodrugs of anti-proliferative
        drugs)
IT
     Drug delivery systems
        (tablets; phospholipid prodrugs of anti-proliferative drugs)
IT
     Drug delivery systems
        (topical; phospholipid prodrugs of anti-proliferative drugs)
IT
     Granulomatous disease
     Multiple sclerosis
     Psoriasis
        (treatment of; phospholipid prodrugs of anti-proliferative drugs)
IT
     Antitumor agents
        (urinary tract; phospholipid prodrugs of anti-proliferative drugs)
IT
     9001-84-7, Phospholipase A2 9013-93-8, Phospholipase
     RL: BSU (Biological study, unclassified); BIOL (Biological study)
        (activated by; phospholipid prodrugs of anti-proliferative drugs)
IT
     330658-48-5P
                    330658-49-6P
                                   330658-50-9P
                                                   330658-51-0P
                                                                  330658-52-1P
     330658-55-4P
     RL: BAC (Biological activity or effector, except adverse); BSU (Biological
     study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use);
     BIOL (Biological study); PREP (Preparation); USES (Uses)
        (prepn. of phospholipid prodrugs of anti-proliferative drugs)
IT
     330658-53-2
                   330658-54-3
     RL: BAC (Biological activity or effector, except adverse); BSU (Biological
     study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES
        (prepn. of phospholipid prodrugs of anti-proliferative drugs)
TT
     50-91-9, 5-Fluoro-2'-deoxyuridine
                                         56-12-2, 4-Aminobutanoic acid,
     reactions
                 59-05-2, Methotrexate
                                         60-32-2, 6-Aminohexanoic acid
     64-19-7, Acetic acid, reactions
                                       76-83-5, Trityl chloride
```

107-95-9,

```
3-Aminopropanoic acid 123-76-2, Levulinic acid 501-53-1, Benzyl
     chloroformate 660-88-8, 5-Aminovaleric acid 1002-57-9, 8-Aminooctanoic
            1069-66-5, Sodium 2-Propylpentanoate
                                                  4160-82-1,
     3,3-Dimethylglutaric anhydride
                                    19420-57-6
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (prepn. of phospholipid prodrugs of anti-proliferative drugs)
IT
     1947-00-8P, 6-[N-(Benzyloxycarbonyl)amino]hexanoic acid
                                                              2304-94-1P
                  5105-78-2P 10343-71-2P 23135-50-4P 23434-40-4P
     5066-71-7P
     57444-77-6P
                   76523-73-4P
                                 93349-30-5P
                                              112489-84-6P
                                                             163225-49-8P
     271781-53-4P
                    330658-56-5P
                                  330658-57-6P
                                                 330658-58-7P
                                                                330658-59-8P
                                   330658-64-5P
     330658-60-1P
                    330658-62-3P
                                                 330658-66-7P
                                                                330658-68-9P
     330658-69-0P
                    330658-70-3P
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (prepn. of phospholipid prodrugs of anti-proliferative drugs)
MSTR 1
        —С (О)-G1
         –C (O)-G4−–G7−−G8
          ÒΗ
G1
       = Ak < EC (2-30) C, BD (0-) D (0-) T > (SO) /
         (SC heptadecyl)
       = OH / 16
G2
    -G3
       = R<TX "phospholipid head group"> / (SC 22 / 30 / 43)
G3
      CH2-G9
                        OH.
              HO
G4
       = Ak<EC (2-15) C, BD (0-) D (0-) T> (SO) /
         Cb<EC (3-15) C, BD (0-) D (0-) T> (SO) / 19-13 21-15 /
         Hy<EC (3-) A (1-) Q (0-) O (0-) S (0) OTHERQ,
         BD (0-) D (0-) T> (SO) / (SC CH2CH2 / CH2CH2CH2 /
         72-13 76-15 / 77-13 81-15 / 152-13 154-15 )
```

$$\begin{array}{c|c} & \text{Me} \\ & \\ \text{H}_2\text{C} & \text{C} & \text{CH}_2\\ \text{152} & & \text{154} \end{array}$$

= Ak<EC (1-) C, BD (0-) D (0-) T> (SO) G5

G6 = 0 / S

G7 = NULL / O / S / NH (SO) / C(O)

G8 = R<TX "residue of anti-proliferative drug"> /

(SC 67 / 105 / 150 / 191)

$$\begin{array}{c} \text{NH}_2 \\ \text{N} \\ \text{N} \\ \text{Me} \end{array} \begin{array}{c} \text{C (O)} \\ \text{NH} \\ \text{CH}_2 \\ \text{N} \end{array} \begin{array}{c} \text{C (O)} \\ \text{NH} \\ \text{CH}_2 \\ \text{C (O)} \\ \text{C (O)} \\ \text{CH}_2 \\ \text{CH}_2 \end{array}$$



MPL:

NTE:

or pharmaceutically acceptable salts additional oxygen or sulfur atom interruptions in G4 aliphatic chains also claimed NTE:

(FILE 'HOME' ENTERED AT 15:44:20 ON 29 MAY 2003)

FILE 'REGISTRY' ENTERED AT 15:44:29 ON 29 MAY 2003

L1 O S STEAROYL DODECYLATE MTX AMIDO PROPANOYL SN GLYCERO PHOSPHATID O S STEAROYL DODECYLATE AMIDO PROPANOYL SN GLYCERO PHOSPHATIDYLCH L2 O S STEAROYL DODECYLATE AMIDO PROPANOYL GLYCERO PHOSPHATIDYLCHOLI L3

L4O S STEAROYL DODECYLATE PHOSPHATIDYLCHOLINE

0 S STEAROYL DODECYLATE L5

O S STEAROYL PROPANOYL SN GLYCERO PHOSPHATIDYLCHOLINE L6

O S STEAROYL (S) PROPANOYL (S) GLYCERO (S) PHOSPHATIDYLCHOLINE L7

7 S STEAROYL PHOSPHATIDYLCHOLINE L8

> FILE 'ADISCTI, ADISINSIGHT, ADISNEWS, BIOSIS, CANCERLIT, CAPLUS, CEN, DGENE, DRUGB, DRUGLAUNCH, DRUGMONOG2, DRUGNL, DRUGU, EMBAL, EMBASE, ESBIOBASE, IFIPAT, IPA, JICST-EPLUS, KOSMET, LIFESCI, MEDICONF, MEDLINE, NAPRALERT, NLDB, NUTRACEUT, PASCAL, PCTGEN, ...' ENTERED AT 15:50:02 ON 29 MAY 2003

FILE 'HOME' ENTERED AT 15:52:52 ON 29 MAY 2003

FILE 'ADISCTI, ADISINSIGHT, ADISNEWS, BIOSIS, BIOTECHNO, CANCERLIT, CAPLUS, CEN, DGENE, DRUGB, DRUGLAUNCH, DRUGMONOG2, DRUGNL, DRUGU, EMBAL, EMBASE, ESBIOBASE, IFIPAT, IPA, JICST-EPLUS, KOSMET, LIFESCI, MEDICONF, MEDLINE, NAPRALERT, NLDB, NUTRACEUT, ...' ENTERED AT 15:53:04 ON 29 MAY 2003

FILE 'REGISTRY' ENTERED AT 16:00:45 ON 29 MAY 2003

L9 0 S SPHINGSINE/CN L10 1 S SPHINGOSINE/CN

> FILE 'ADISCTI, ADISINSIGHT, ADISNEWS, BABS, BIOBUSINESS, BIOCOMMERCE, BIOSIS, BIOTECHNO, CANCERLIT, CAPLUS, CBNB, CEN, CIN, CONFSCI, DGENE, DIOGENES, DRUGB, DRUGLAUNCH, DRUGMONOG2, DRUGNL, DRUGU, DRUGUPDATES, EMBAL, EMBASE, ESBIOBASE, FEDRIP, IFIPAT, ... 'ENTERED AT 16:02:26 ON 29 MAY 2003

L11 21240 S STEAROYL

L12 5722 S PROPANOYL

L13 422411 S GLYCEROL

L14 37687 S GLYCERO

L15 179691 S PHOSPHATIDYLCHOLINE

=> s l11 (s) l12 (s) l14 (s) l15

2 L11 (S) L12 (S) L14 (S) L15

=> d l16 1-2 ibib, kwic

L16 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2003 ACS ACCESSION NUMBER: 2001:208065 CAPLUS

DOCUMENT NUMBER: 134:242656

TITLE: Phospholipid prodrugs of anti-proliferative drugs INVENTOR(S): Kozak, Alexander; Shapiro, Israel; Vinnikova, Marina; Ershov, Leonid; Senderikhin, Alexander; Ayalon, Oran

PATENT ASSIGNEE(S): D-Pharm Limited, Israel PCT Int. Appl., 51 pp. SOURCE:

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE ----------

```
20010322
                                            WO 2000-IL562
                                                             20000913
     WO 2001019320
                       A2
     WO 2001019320
                       Α3
                            20010927
             AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
             HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,
             LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU,
             SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN,
             YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
             DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ,
             CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     AU 2000073093
                       Α5
                            20010417
                                            AU 2000-73093
                                                             20000913
     EP 1218013
                       A2
                            20020703
                                            EP 2000-960946
                                                             20000913
             AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL
     JP 2003514770
                       T2
                            20030422
                                            JP 2001-522958
                                                             20000913
PRIORITY APPLN. INFO.:
                                         IL 1999-131887
                                                             19990914
                                                          Α
                                         WO 2000-IL562
                                                             20000913
OTHER SOURCE(S):
                         MARPAT 134:242656
     The invention discloses prodrugs comprising anti-proliferative drugs
     covalently linked, via a bridging group, to a phospholipid moiety such
     that the active species is preferentially released, preferably by enzymic
     cleavage, at the required site of action. The invention further discloses
     pharmaceutical compns. comprising said prodrugs and the uses thereof for
     the treatment of diseases and disorders related to inflammatory, to
     degenerative or atrophic conditions, and to uncontrolled cell growth.
     methotrexate deriv. 1-stearoy1-2-[3-(.alpha.-dodecylate-.gamma.-
     methotrexate-amido)-propanoy1]-sn-glycero-3-
     phosphatidylcholine was prepd., and examd. for its inhibitory
     effect on human leukemia cell growth.
L16 ANSWER 2 OF 2
                    TOXCENTER COPYRIGHT 2003 ACS
ACCESSION NUMBER:
                     2001:93159 TOXCENTER
                     Copyright 2003 ACS
COPYRIGHT:
DOCUMENT NUMBER:
                     CA13417242656W
TITLE:
                     Phospholipid prodrugs of anti-proliferative drugs
                     Kozak, Alexander; Shapiro, Israel; Vinnikova, Marina;
AUTHOR (S):
                     Ershov, Leonid; Senderikhin, Alexander; Ayalon, Oran
                     ASSIGNEE: D-Pharm Limited
CORPORATE SOURCE:
PATENT INFORMATION:
                     WO 2001019320 A2 22 Mar 2001
SOURCE:
                     (2001) PCT Int. Appl., 51 pp.
                     CODEN: PIXXD2.
COUNTRY:
                     ISRAEL
DOCUMENT TYPE:
                     Patent
FILE SEGMENT:
                     CAPLUS
OTHER SOURCE:
                     CAPLUS 2001:208065
LANGUAGE:
                     English
ENTRY DATE:
                     Entered STN: 20011116
                     Last Updated on STN: 20020313
         of diseases and disorders related to inflammatory, to degenerative
     or atrophic conditions, and to uncontrolled cell growth. A methotrexate
     deriv. 1-stearoy1-2-[3-(.alpha.-dodecylate-.gamma.-methotrexate-
     amido) -propanoy1] -sn-glycero-3-
     phosphatidylcholine was prepd., and examd. for its inhibitory
     effect on human leukemia cell growth.
```